

STREAMLINED TOWING AND HAULING





The TowHaul multi-purpose Gooseneck represents a significant advancement in the efficiency and versatility of heavy-duty equipment. Its innovative design is tailored to maximize the utility of your fleet, ensuring that every vehicle is always mission-ready. The Gooseneck's compatibility with a wide array of machinery means that it can seamlessly transition between tasks, from towing to hauling, without the need for extensive modifications or downtime. This adaptability is further enhanced by the use of a hydraulic grab hook when connecting to a TowHaul Lowboy. The hydraulic Grab Hook serves as an alignment guide which is crucial for the safe and proper operation of the connected equipment. This ensures that the Gooseneck is not only quick to connect but also correctly positioned, reducing the risk of malfunctions or accidents due to misalignment. The result is a more efficient workflow, as operators can trust in the Gooseneck's ability to provide a fast, accurate, and robust connection every time, allowing them to focus on the job at hand with confidence that their equipment is performing optimally.



Haul Truck Recovery

## **VERSATILITY AT ITS FINEST:**

Compatibility with a wide array of machinery means that it can seamlessly transition between tasks, from towing to hauling.

## SIMPLE AND QUICK CONNECT:

The hydraulic Grab Hook acts as an alignment guide, and enables a quick, precise, and reliable connection that enhances workflow efficiency and equipment safety.







## **BENEFITS & FEATURES**

- Multipurpose Gooseneck turns a single haul truck into a multi-function tool
  - Connect with and pull a TowHaul Lowboy
  - Tow disabled haul trucks with the Towing Conversion Package
  - Connect with and pull a Dragline Bucket Transporter
- Optional Towing Conversion Package includes:
  - Park Brake Release System
  - Auxiliary dump (buddy dump) system
  - Wireless remote control
  - Prime mover walkways and fenders
- Pairs with many brands and sizes of rigid-frame haul trucks
- The hydraulically activated Grab Hook allows for simple, fast connection to the Lowboy
- Hook-up time of less than 90 seconds
- Proven durability in harsh operating conditions







- 340 Andrea Drive Belgrade, Montana 59714 U.S.A.
- ➤ TowHaul@towhaul.com
- +1 (406) 388-3424
- towhaul.com